



UDI Add-On (EU) Release Notes






Table of contents

1.	Updates in V2021/02.....	3
1.1	Transports.....	3
1.2	Change Log	3
1.2.1	Extending the CMR Endocrine Substances table with 2 additional columns	3
1.2.2	Adding feature to filter all UDI data depending on SRN Parameter	3
1.2.3	Validation check for EUDAMED UDI Code (used for legacy devices)	3
1.2.4	UDI-DI maintenance fields are not available until a UDI-DI record is assigned.....	3
1.2.5	Management of Excel file template for Upload and download	3



1. Updates in V2021/02

1.1 Transports

Transport	Description	Type	Released	Development System
ECCK900460	EITC: UDI EUDAMED Add-On V2021/01	Workbench	17.02.2021	SAP01 - ECC6.0 NW 7.01
ECCK900474	EITC: UDI Common Developments V2021/02	Workbench	24.02.2021	SAP01 - ECC6.0 NW 7.01
ECCK900481	EITC: UDI EUDAMED Add-On V2021/02	Workbench	24.02.2021	SAP01 - ECC6.0 NW 7.01

1.2 Change Log

1.2.1 Extending the CMR Endocrine Substances table with 2 additional columns

Extending the CMR Endocrine Substances table with 2 additional columns to enter Name and language of the substances, when EC or CAS Code is unknown.

JIRA	Type	Involved transactions
UEA-264	Feature	/UDI/MAINTAIN

1.2.2 Adding feature to filter all UDI data depending on SRN Parameter

New feature to realize a filtering based on user, when multiple SRN number are used.

JIRA	Type	Involved transactions
UEA-204	Feature	Various transactions

1.2.3 Validation check for EUDAMED UDI Code (used for legacy devices)

Extending validation check for legacy Device Code, when EUDAMED ID/DI Code is entered.

JIRA	Type	Involved transactions
UEA-260	Feature	/UDI/MAINTAIN

1.2.4 UDI-DI maintenance fields are not available until a UDI-DI record is assigned

UDI-DI maintenance fields will be hidden until one or more UDI-DI's are assigned to the BUDI. This prevents the user to enter already data before assigning a UDI-DI.

JIRA	Type	Involved transactions
UEA-270	Feature	/UDI/MAINTAIN

1.2.5 Management of Excel file template for Upload and download

The Excel file which is used for data upload and download in the TCode OAOR could exist in multiple versions. Before the first one is taken from the application. Now the latest updated version will be taken if multiple versions exist.



JIRA	Type	Involved transactions
UEA-270	Bug	/UDI/UPLOAD